। सशस्त्र प्रहरीलाई गृह्गोस सांसदलाई 'कक्षा'

श्रान्य कम्रज्ता कागंसल

कार्यसम्पात

राजधानी समाचारदाता अदग्रही

उपपाचान तथा गृहमन्त्री र्राव लामिछानल प्रशासनिक एव व्यवस्थापकीय पंतामा शत्य कमजोरीसाथ वर्षोप्रस्पादन गर्न संशस्त्र पहरी बंजलाई निर्देशन दिएका छन्।

संशर्भ पहरी यल नेपाल प्रधान कायालको शीनवार निरीक्षण सम्भक्तमस् गृहम्ली लामिन्द्रानेले सकल दर्जाका संशर्भ पहरी कमचारीलाई वस्ती निर्देशन विएका रुस् ।

निरीक्षण अगणको उनले संगठनमा रहेदा नांजक र पराई तथा भित्र र बाहिर भन्ने एवनिलाई हटाई म्यान्डटअनसार काम पन्पनेमा पनि जोड दिए। पृहमन्त्री लामिखानेले तराईको चर्का प्रमीदिधि हिमानको आलाइचुड्गोला र ख्राइगरूको कट्याइगिदो चिस्तासगै नैनाथ भएका अधिकत तथा जनानको बसाइका लागि भौतिक प्रवाधार कमजोर हालतमा रहेकोसमेत बताए।

नागरिकको जनधनको सुरक्षा गर्ने नेपान आमाका बीर सपूत तपाईहरूलाई सलाम छ, मेरो कार्यकालभरि मान होइन जीवन कालभरि तपाईल गरेको सलामको इंज्जन राह्मेसु उनले भने।

नागिर गन् भनेको सान्भूमिका सवा गर्ने अवसरसम्बद्धारहोत तथा गुद्ध गरर वा सहिद भएर मात्र देशभक्ति नहने बताउदै उपयक्षान तथा गहमन्त्री नामिखानेल मने, अधिकतम सभी वा चिसी ठाउँमा खटिएर अनवरत गर्ने खबरदारी र दुय्दी बास्तवमा



रवर्षातम् सम्बद्धाः

यो छ । रास्थत समदीय गट निर्वाचित बेठकमा कसरी मन्ते बिणयमा ग्रातनिज्ञसमामा । प्रतिविधिसमा

दे छ । रमेश लेखकले उसमा पहिला । तथारी यन ताए। समदमा ने मोमका र एडं जानकारी

योगानावयम् स्वयंत्रस्य नाम निर्देशन दिएको छ । पहिलो बैठकमा उके हुन्छन् र सासदले के गाने हे संलोबार पिन अनकारी गराएको काग्रेस प्रमुख सचेतक लेखकले जानकारी दिए।

बागामी २६ पुसमा प्रधानमधी गणकमस्य दाहाल प्रचण्ड'ले विश्वासको मन निन हुँचा सासदहरू सो बैठकमा समेन कसरी महभागा हुने र क्षेत्रे गुने । भन्ने विषयमा प्रांशकण दिङ्ग्को प्रमुख सचेतक लेखकले जानकारी दिए। कांग्रेसले प्रधानमधी प्रचण्डलाई विश्वासको मन दिने कि नदिने । भन्नवार भने सोही दिन दल बैठक बसेर निर्णय सिने भएको दृह।

कांग्रेसले मत दिवैत : थापा

कांग्रेस महामन्त्री गगनकुमार धापाले आफ्नो गटीले प्रधानमन्त्री गुण्यमन दोहाल प्रचण्डालाड विश्वासको मत्र नरिन सम्ब्रु प्रतिक छन्।

मिहदरबारस्थित कांग्रेस संसदीय दल कामालयमा श्रीतंकार प्रसद्धा थेठकपछि मन्यारकमीलाई प्रतिक्रमा दिरे महामन्त्री थापाले कांग्रेसले प्रधानमन्त्रीलाई विश्वासको मत तदिने स्पष्ट पारेका हन ।

सो विषयमा पार्टीकी आधिकारिक धारणा मने २६ पुसमा वस्त्रे ससदीय दलको बैठकवाट आउनेसमेत उनले जातकारी दिए। हामी प्रतिपक्षमा बस्छै, प्रतिपक्षमा बसेंदे आफ्नो जिम्मेवारी निवांद गर्ने हो, काग्रेस ऑदले विश्वासको मतको खिलाफमा उभिन्छ मन्ने स्पष्ट छ, थापाने बैठकपछि सञ्चारकमीसंग मने, संसद्मा प्रधानमन्त्रीले विश्वासको मतका लगि आफ्लाई प्रस्तुत गर्दे हुन्हुन्छ, त्यही दिन बिहान ५ वने हामी बैठक बस्छो, बैठकवाट आधिकारिक निषय गर्नेछों।

गंत १० पुसमा प्रचण्ड सर्विधानको धारा ७६ (२) अनुसार प्रधानमन्त्री तियुक्त भएका विए । सर्वैधानिक व्यवस्थानुसार प्रधानमन्त्रीले नियुक्त भएको एक महिलाभित्र ससदमा विश्वासको सत्त निनुपद्ध। सर्विधानको धारा ७६(४) मा ७६(२) अनुसार नियुक्त भएका प्रधानमन्त्रीले विश्वासको मत तिनुपत्त थएका प्रधानमन्त्रीले विश्वासको

सेवामा रहेवा सरः विषयन धेरे राष्ट्रसेवकव भएका हम सक्ने र ए६ गर्दा व्यावसायिक धमना सक्ने भन्दे उनले सहबा, कार्यक्षमता, व्यावसायिकह ज्ञानमा आधारित रही सम्म,

सशस्त्र पहरी महाद्व जयानने सम्पर्ण राष्ट्रसेवक कमंचारीलाई प्रसायता व्यावसाधिक, नैतिक र व राज्यपुरत जिम्मेबारीलाई प्रक निवाह गरै आइरहेकी बताध

वताए ।

आन्तरिक पृशासक गर्दै निश्चित पढ़ितमा सर्ग अवस्था सिजनाका लागिन जवाफरेहितासहितको पृश् सरवा बहुबा कमान्ड, तानि तथा कन्याणकारी कार्यकर्ष



राप्ती नगरपालिका नगर कार्यपालिकाको कार्यालय

हर्बी, भण्डारा, चितवन बागमती प्रदेश, नेपाल

2633

भिडियो एक्सरे मेसिन खरिद सम्वन्धी सूचना

प्रथम पटक प्रकाशित मिति - २०७९ ०९ २४

यस कार्यालय अन्तंनत भण्डारा अस्यतालको लागि अति आवस्यक भिडियो एक्सर मैसिन सार्वजनिक खरिद ऐन २०६३ (पहिलो संशीधन) २०७३ को दफा द को उपराफा १ (क) (८) तथा सार्वजनिक खरिद नियमावली २०६४ (संशीधन सहित) को नियम ३१ (ख) वमीजिम त्यस्तो मैसिन उत्पादक कम्मनी वा सो को आधिकारीक विकेताहरू बीच प्रतिस्पर्धा गराउने (स्थाटलग सिपड) विधिवाट खरिद गर्नुपर्न भएकोले सावजनिक खरिद तियमावली २०६४ (संशोधन सहित) को नियम ३९ (ख) को उपनियम २ अनुसार मिडियो एक्सरे मैसिन विकी गर्न चाहाने उत्पादक कम्मनी तथा आधिकारीक विकेताले आ-आफ्नो उत्पादनको आधिकारीक स्थाशिफकेशन, गुणस्तर, मृत्य र सुविधा सहितको विवरण क्याटलग वा ब्रोसर) सलग्न राखि यो सूचना प्रकाशित भएको मितिल १४ (पन्ध) दिन भित्र यस कार्यालयमा निवेदन दत्तां गर्नुहुन सम्बन्धित उत्पादक कम्पनी वा आधिकारीक विकेताले जानकारीका लागि यो सूचना प्रकाशित गरिएको छ साथै स्थेशिफिकेशन नगरपालिकाको वेबसाईट www.raptimun.gov.np मा राखिएको जानकारी गराईन्छ।

प्रमुख प्रशासकीय अधिकृत

यसअधिका..

प्रतिवेदनमा एक बर्धाभित्र सर्वे नागरिकलाई राष्ट्रिय परिचयपत्र उपलब्ध पराजनेबीय स्थापीय सबसे निर्दे आएकी र अनुसन्धान गरी कृतै पृष्टि भएका अप्टाचार र नो कोही। कानुनी कारबाही अग्नि महाज प्रतिबदनमा उल्लेख हा । सर्ग फिल्म भन्माचारी पुक्रदिन कार्ता Tender Specifications Colour Doppler USG Machine for Rapti Nagarpalika

G N	Tender Specifications Colour Doppler USG Machine for F	Bladers Comphanice Sheet			
S.N o.		Yes/No	Page No.	Remar ks	
70	Brand:				
	Model/Type:				
•	Manufacturer: Country of Origin:				
(I)	Sentem should be following features:				
(I)	21.5% are high resolution Colour LED with resolution of 1,920 x 1,080				
1	and with articulating freely mobile arm for up/down side to side movement.				
2	Sentem Should have min 150,000 of processing channels of above.			- 0	
3	Frame rate 1400 Frames/sec or better in 2D and more than 400 frames /sec			2	
)	in Colour Mode				
4	System Should have higher Dynamic range 240db and above.				
5	Minimum 4 active probe ports with capability of connecting any of the				
6	System should support Frequency range between 1Mhz to 16MHz.				
	Maximum Scanning depth should be 38 CM or better				
7	Must have fully 8 TGC line.				
8,	System should have advance Needle visualization technique.				
9	System should have Minimum five parameter for minimize the noise				
10	1 1 for bottor resolution		8		
11	1 11 have advance function with a single key which can able to				
11	adjust the 2D resolution and auto Doppler adjustment without manipulating		zn		
	baseline, scale etc.				
12	It should support Dual Live Mode.				
13	The freely fully programmable, mode-sensitive color louch				
1.5	about the minimum 10" size with High Resolution	L			
	Display minimum of 1920 * 1080 and should be lablet mode	;	=		
	operation enable direct access to all basic and advanced system.				
14	System should have inbuilt battery backup of 60minutes.				
15	Inbuilt gel warmer should be provided.				
ε(II)	Imaging Modes				
(11)	B, 2B, 4B, M, CDI, PWD, PDI, Dual live, 4D.				
1	System should have cine memory of at 500 MB or more with image storage	е	ā		
2	cos oon frames and Cine I con of 10 000 lines.				
2	One button on control panel for speckle reduction imaging for soft and	b	2 1	28	
3	amouth image quality with variable values/steps.				
4	One button on control panel for optimization of both image quality.				
5	One button on control panel for optimization of color Doppler.				
7	User Programmable Preset.				
8.	User Programmable control panel Keys, as minimum three control panel ke	У	3	-	
	can be customizable for user comfort. System should have Anatomical M- Mode features.				
9.	System should have Anatonnear W- Wode reactives.	10			
10	Should have min. 4 no. of focus and 5 steps of frequency that can be				
:	selectable for different application preset. Chroma Map & Gray Map can be selectable up to 11 steps for different application preset.	nt	37		
11.	Chroma Map & Gray Map can be selectable up to 11 steps for uniterest				
	viewing resolution of 2D image. Should have upgradable 4D package software.				
12.	Snould have upgradable 4D package softmare.				

Sol.

S.N o.	Tender Specifications	Bidders Compliance Sheet			
		Yes/No	Page No.	Remar ks	
(III)	Pulse Repitation frequency should be upto 19 KHz.				
1	Auto calculation for Doppler tracing on real time and post freeze.				
2	Pan Zoom and HD zoom facility on real time and post freeze up to 8 times or more				
3**	Power Doppler and bidirectional color flow with HD Flow.		18		
4	General measurements and calculations and report format for Abdomen, Obstetrics, Gynaecology, Cardiac, Pelvis and Prostate.	7			
5	Annotation and directory of word.			9 4 1	
7	Minimum 4 or more USB Port System should have 8GB or more of RAM and Inbuilt SSD of 512 GB or more with Processor, capable of storing 3, 50,000 images.				
8	DICOM 3.0 license required.				
(IV)	Special Imaging Features:				
1	Tissue Harmonic Imaging				
2	Trapezoid Imaging on linear Probe		. 4		
3	Advanced cardiac package with Continues wave Doppler.				
4	Steering upto 20 degrees independent of B Mode/PW on linear probe.			+	
5	Advanced software for Cardiology.	8		-	
	Must Provide:			1	
(V)	Full screen zoom				
2	Adaptive Color Doppler			-	
(VJ)	Advanced upgradability should be available for future up-grade (Bidders are requested to offer their price in separate sheet for below). Also, please clearly highlighted for the same software in datasheet a) 2D NT				
	b) Follicle study c) Paediatric Echo (3-8MHz) d) Elastography		100		
(VII	Advanced Software of volume follicle with 4D Endocavity Probe, please mentioned the frequency for the same probe. Following probe should be provided.			2.9	
) .					
1 41	Convex Probe with 2 MHz to 6 MHz.				
2	Linear probe with 5 MHz to 12 MHz.				
3,	Endocavity probe with bandwidth of 4MHZ to 9MHZ.				
(VII	Accessories:				
1)	Digital B/W thermal paper printer with 5 roll of paper and 2 number of Gell.		9		
2	Online UPS of 3KVA should be supplied.				
(IX)	Other terms and conditions	<u> </u>			
1	Machine should be CE and US FDA approved.				
2	Must Submit ISO certificates for the Medical Devices.				
3	The system must be installed at least 5 different hospital in Nepal and must	v			
97.1				1. 13	



(N	To las Considerations	Bidders Compliance Sheet		
S.N o.	Tender Specifications	Yes/No	Page No.	Remar ks
	submit along with the Service and Installation.	d		
4	Purchasers may ask for a live demo for the quoted model before selections of the system and after satisfaction from the live demo then only the hospital will decide to purchase the equipment. Failure to do so for a live demo will		7	Constitution of the consti
(X)	be treated as disqualifying from the technical team. System should have three-year comprehensive warranty from the date of			
	installation.			

